



# Aftercooler AAC1100

350011



## Product details

|                                 |                         |
|---------------------------------|-------------------------|
| Cod.Art.                        | 350011                  |
| Ambient temperature (°C)        | 25                      |
| Inlet air temperature (°C)      | 120 °C                  |
| Max. inlet air temperature (°C) | 170 °C                  |
| Inlet air relative humidity (%) | 7                       |
| Flow                            | 1.100 L/m (1,833 L/h)   |
| Flow rate (m3/h)                | 66                      |
| Pipe size (")                   | G 1"                    |
| Cooling air volume (l/min)      | 7.495 L/m (12,492 L/h)  |
| Cooling air volume (m3/h)       | 400 m³/h (6,667 m³/min) |
| Working pressure (bar)          | 7                       |
| Maximum pressure (bar)          | 15                      |
| Pressure drop (bar)             | 0,15 bar (1,53 mH2O)    |
| Fan power rating (W)            | 40/52                   |
| Voltage (V)                     | 230 V / 50 Hz / 1 Ph    |
| EAN 13                          | 8712418400144           |
| Weight (netto) (kg)             | 19 kg                   |
| Length (mm)                     | 850 mm (8,5 dm)         |
| Width (mm)                      | 300 mm (3 dm)           |
| Height (mm)                     | 710 mm (7,1 dm)         |
| Fan diameter (mm)               | 250                     |

